



**GLASS THICKNESS:**  
 GLASS THICKNESS MUST BE AS FOLLOW FOR DIFFERENT GLASS AREAS  
 GLASS AREA: 0.01m<sup>2</sup> - 0.99m<sup>2</sup> : 4mm CLEAR GLASS OR OBSCURE GLASS  
 GLASS AREA: 1.00m<sup>2</sup> - 1.99m<sup>2</sup> : 5mm CLEAR GLASS OR OBSCURE GLASS  
 GLASS AREA: 2.00m<sup>2</sup> - LARGER : 6mm CLEAR GLASS OR OBSCURE GLASS  
 SLIDING DOORS : 6.38mm SAFETY GLASS WITH MARKERS  
 ALL BATHROOM WINDOWS TO HAVE OBSCURE GLASS  
 ALL BATHROOM WINDOWS TO BE SAFETY GLASS WITH MARKERS  
 ALL GLAZING TO COMPLY TO PART 'N' OF SANS 10160-2

**Fractal Architecture (PTY) LTD.**  
 Architectural & Steel structure draughting REG: 2021/309946/07

Amthel Cronje  
 PAD34952484  
 Matlabas Avenue  
 Annlin  
 Cell: 072 444 5615  
 Email: fractalarch.cho@gmail.com

CLIENT EXCELSUS PROPERTY DEVELOPMENTS (PTY) LTD  
 REG: 2019/499326/07 (C. J. HATTING)

PROJECT PROPOSED NEW DWELLINGS

ON ERF 666  
 LYNNWOOD GLEN  
 62 FLORESTA STREET

PROJECT No.	DESCRIPTION		
FA85 / 2021	WINDOW & DOOR SCHEDULE		
DRAWN BY:	OWNER SIGNATURE:		
A C	PROFESSIONAL SIGNATURE:		
DATE	ENGINEER SIGNATURE:		
12 AUGUST 2021			
SHEET NO.	DATE	NO	REVISIONS
3 OF 6	13/08/2021	A	FOR CONCEPT APPROVAL
REVISION NO.	01/09/2021	B	FOR FINAL APPROVAL
C	15/09/2021	C	FOR COUNCIL APPROVAL

FRACTAL ARCHITECTURE (PTY) LTD WILL NOT BE HELD LIABLE AND OR RESPONSIBLE FOR ANY DEVIATIONS FROM THE APPROVED COUNCIL PLANS.